

FREE STANDING LEAN TO 12'- 15'W



STATES: AR, OK, MO, NE, IL, IN, IA, KS

NON CERTIFIED

12x20	12x25	12x30	12x35	12x40
\$2,900	\$3,540	\$4,140	\$4,740	\$5,340
13x20	13x25	13x30	13x35	13x40
\$3,180	\$3,780	\$4,380	\$4,980	\$5,580
14x20	14x25	14x30	14x35	14x40
\$3,420	\$4,020	\$4,620	\$5,220	\$5,820
15x20	15x25	15x30	15x35	15x40
\$3,660	\$4,260	\$4,860	\$5,460	\$6,060
NOTE: BASE RAIL FRAME LENGTH'S ARE 20',25',30' ETC.				
VERTICAL ROOF HAS NO OVERHANG ON FRONT OR BACK JUST ON SIDE EAVES.				



WXL

Vertical Roof Style

12x20	12x25	12x30	12x35	12x40
\$2,280	\$2,760	\$3,240	\$3,720	\$4,200
13x20	13x25	13x30	13x35	13x40
\$2,520	\$3,000	\$3,480	\$3,960	\$4,440
14x20	14x25	14x30	14x35	14x40
\$2,760	\$3,360	\$3,960	\$4,560	\$5,160
15x20	15x25	15x30	15x35	15x40
\$3,000	\$3,600	\$4,200	\$4,800	\$5,400
NOTE: BASE RAIL FRAME LENGTH'S ARE 20',25',30' ETC.				
BOXED EAVE HAS 6" ROOF OVERHANG ON FRONT, BACK AND SIDE EAVES.				



WXL

Boxed Eave Style

12x20	12x25	12x30	12x35	12x40
\$2,040	\$2,430	\$2,820	\$3,210	\$3,600
13x20	13x25	13x30	13x35	13x40
\$2,280	\$2,670	\$3,060	\$3,450	\$3,840
14x20	14x25	14x30	14x35	14x40
\$2,520	\$3,030	\$3,540	\$4,050	\$4,560
15x20	15x25	15x30	15x35	15x40
\$2,760	\$3,270	\$3,780	\$4,290	\$4,800
NOTE: BASE RAIL FRAME LENGTH'S ARE 20',25',30' ETC.				
REGULAR STYLE HAS 6" ROOF OVERHANG ON FRONT AND BACK.				



WXL

Regular Style

STANDARD FEATURES:

14 Gauge frame, 6ft Std legs, 29 Gauge roofing, maximum rafter/ column spacing 5' on center or less, 12'w-13'w buildings. Maximum spacing 4' on center on less for 14'-15'w buildings. Braces on all top corner posts. Low side 13'-14' ft max height have double legs and base rail system.



Customer must supply lull lift for buildings 13'-16' tall leg height.

ROOF REFLECTIVE INSULATION ADD ON:

Add 2' to width and multiply by length. EX. 12' wide x 21' long (14x21= 294 sf x rate =\$ 735.00)
R Value 14.7

\$2.50 SF 95% Reflectivity Helps reduce building condensation

REGULAR STYLE LEG HEIGHT CHART

	20'L	25'L	30'L	35'L	40'L
9&12FT	\$445	\$550	\$660	\$764	\$873
10&13FT	\$623	\$893	\$1,158	\$1,328	\$1,492
11&14FT	\$948	\$1,053	\$1,303	\$1,482	\$1,640
12&15FT	\$1,073	\$1,265	\$1,448	\$1,635	\$1,808
*13&16FT	\$1,466	\$1,727	\$1,968	\$2,225	\$2,458

*DOUBLE LEG AND BASE RAIL SYSTEM HEIGHTS 13FT-16FT

BOX EAVE / VERTICAL STYLE LEG HEIGHT CHART

	20'L	25'L	30'L	35'L	40'L
9&11FT	\$335	\$440	\$550	\$654	\$763
10&12FT	\$513	\$783	\$1,048	\$1,218	\$1,382
11&13FT	\$838	\$943	\$1,193	\$1,372	\$1,530
12&14FT	\$963	\$1,155	\$1,338	\$1,525	\$1,698
*13&15FT	\$1,356	\$1,617	\$1,858	\$2,115	\$2,348
*14&16FT	\$1,749	\$2,079	\$2,378	\$2,705	\$2,998

*DOUBLE LEG AND BASE RAIL SYSTEM HEIGHTS 13FT-16FT

CLOSE ONE SIDE CHART

	20'L	25'L	30'L	35'L	40'L
8FT	\$405	\$485	\$570	\$660	\$755
9FT	\$470	\$555	\$645	\$740	\$840
10FT	\$535	\$625	\$720	\$820	\$925
11FT	\$600	\$695	\$795	\$900	\$1,010
12FT	\$665	\$765	\$870	\$980	\$1,095
13FT	\$730	\$835	\$945	\$1,060	\$1,180
14FT	\$795	\$905	\$1,020	\$1,140	\$1,265
15FT	\$860	\$975	\$1,095	\$1,220	\$1,350
16FT	\$925	\$1,045	\$1,170	\$1,300	\$1,435

ADD 60% FOR VERTICAL SIDES

REFLECTIVE INSULATION (BOTH SIDES) ADD ON:

Multiply leg height by length by 2.

EX. 21' long x 6' tall 6x21= 126 sf x 2 =252 sf x 2.50
= \$630.00 both sides

CLOSE ONE END CHART

	12'W	13'W	14'W	15'W
8FT	\$750	\$800	\$850	\$916
9FT	\$850	\$900	\$950	\$1,015
10FT	\$950	\$1,000	\$1,050	\$1,116
11FT	\$1,050	\$1,100	\$1,150	\$1,216
12FT	\$1,150	\$1,200	\$1,250	\$1,316
13FT	\$1,300	\$1,350	\$1,400	\$1,466
14FT	\$1,400	\$1,450	\$1,500	\$1,566

ADD 40% FOR VERTICAL ENDS

REFLECTIVE INSULATION (PER END) ADD ON:

Add 3' to leg height multiply by width

EX. 12' wide x 6' tall 9x12= 108 sf x 2.50
= \$270.00 per end

- Free Installation On Your Level Lot
- Engineer Plans Available Call 877-494-2997
- Financing Available / Rent To Own Available
- Rebar Anchors Included /Concrete Anchors Included

2026 V2

"ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE"

©2026 Copyright All Rights Reserved Tri State Carports, Inc

FREE STANDING LEAN 12'-15'WIDE OPTIONS

12 GAUGE FRAME UPGRADE				
	12'W	13'W	14'W	15'W
20'L	\$450	\$490	\$530	\$570
25'L	\$550	\$600	\$650	\$700
30'L	\$650	\$710	\$770	\$830
35'L	\$750	\$820	\$890	\$960
40'L	\$850	\$930	\$1,010	\$1,090

	20'L	25'L	30'L	35'L	40'L
3FT BRACES	\$72	\$86	\$101	\$115	\$130
MOBILE HOME ANCHORS	\$120	\$120	\$180	\$180	\$240

	20'L	25'L	30'L	35'L	40'L
Labor Fees					
Build over fee	\$150	\$175	\$200	\$250	\$300
Cut leg fee	\$175	\$200	\$250	\$300	\$350

3' brace upgrade recommended for buildings 8' and higher. Extra support recommended for buildings 10'-12' Tall Legs to prevent swaying.

***30 Day Workmanship warranty** on all Buildings, effective day of Installation.
***20 Year limited warranty** on 12 Gauge framing materials assuming regular care and maintenance given to building.

We strongly recommend you to purchase vertical roofs on buildings 31ft or longer to prevent leaks.

Add \$250.00 Trip Fee on any purchase less than \$500.00

Connection fees valid only if you are purchasing 2 buildings at the same time (not on existing buildings)

Connecting end to end. \$100.00
Connecting side to side. \$150.00

CONCRETE DIMENSIONS

In reference to frame size

Ex. 12'Wx20'L building frame size. Make pad 12'8"Wx20'8"L.

Make the extra 4" all around slope away from the building edge to run off water.

EXTRA FRAME BOW	WELDED TRUSSES	EXTRA BRACES	GARAGE DOORS	*GABLE END
12'-15' WIDE \$252 EA.	4' LONG \$32.00 EA.	2' LONG \$14.00 EA.	6'WX6'H \$753.00 EA.	12'-15' WIDE \$288.00 EA.
ADD \$10.00 FOR EACH ADDITIONAL HEIGHT.	5' LONG \$50.00 EA.	3' LONG \$22.00 EA.	8'WX7'H \$907.00 EA.	*CARPORT PEAK ENCLOSED
	8' LONG \$94.00 EA.		9'WX7'H \$984.00 EA.	
MOBILE HOME ANCHORS	ASPHALT ANCHORS	WINDOWS white with grids	10'WX8'H \$1,061.00 EA.	**EXTENDED GABLE
3/4"X30" \$30.00 EA.	3/4"X30" \$30.00 EA.	24"X36" \$190.00 EA.	10'WX10'H \$1,138.00 EA.	12'-15' WIDE \$504.00 EA.
WALK IN DOOR left outswing	EXTRA PANELS 36" wide		12'WX12'H \$2,465.00 EA.	**GABLE PLUS 3' PANEL
36"X80" \$515.00 EA.	21' LONG \$130.00 EA.	*36' LONG \$216.00 EA.	ADD \$100.00 SIDE DOOR FEE (PER EACH DOOR) <u>BUILDING MUST BE 1' TALLER TO INSTALL DOOR ON SIDE.</u>	
ADD \$50.00 SIDE FEE (IF FRAME HEADER BAR IS NEEDED ADD \$100)	26' LONG \$158.00 EA.	*41' LONG \$259.00 EA.		
<u>BUILDING MUST BE A MIN OF 7FT TALL TO INSTALL DOOR ON SIDE.</u>	31' LONG \$187.00 EA.	*NOT A CONTINUOUS PANEL.	ELECTRIC DOOR OPENER \$950.00 EACH	
EXTRA L TRIM	EXTRA J TRIM	45° TRIM KIT	RECOMMENDED 10-12' TALL ON CONCRETE OR GROUND.	EXTRA SUPPORTS \$100.00 EACH
\$1.25 (PER FT)	\$1.12 (PER FT)	\$99.00 EA. MUST CLOSE END OR SIDE FIRST.		

FRAME OUTS




GABLE END



EXTENDED GABLE END



GARAGE DOORS



FRAME OUTS	WINDOW \$80.00 EACH	WALK DOOR \$90.00 EACH	DOOR FRAME OUTS	6'W-12'W ON END <u>\$150.00 EACH</u> 13'W-16'W ON END <u>\$300.00 EACH</u>	6'W-12'W ON SIDE <u>\$200.00 EACH</u> 13'W-16'W ON SIDE <u>\$400.00 EACH</u>	ON ENDS: MUST CLOSE FIRST FOR FRAME OUTS, IF NO PANELS WANTED ON END (FRAME END ONLY) <u>DISCOUNT 20% FROM CLOSED END PRICE.</u>
16FT WIDE MAX ON END AND SIDE DOOR OPENINGS						



Extra Support
2' Under Ground



FREE STANDING LEAN TO 12'- 15'W

STATES: CO, MI, SD, WI, WY

NON CERTIFIED



12x20	12x25	12x30	12x35	12x40
\$3,348	\$3,948	\$4,548	\$5,148	\$5,748
13x20	13x25	13x30	13x35	13x40
\$3,588	\$4,188	\$4,788	\$5,388	\$5,988
14x20	14x25	14x30	14x35	14x40
\$3,828	\$4,428	\$5,028	\$5,628	\$6,228
15x20	15x25	15x30	15x35	15x40
\$4,068	\$4,668	\$5,268	\$5,868	\$6,468

NOTE: BASE RAIL FRAME LENGTH'S ARE 20',25',30' ETC.

VERTICAL ROOF HAS NO OVERHANG ON FRONT OR BACK JUST ON SIDE EAVES.




WXL

Vertical Roof Style

12x20	12x25	12x30	12x35	12x40
\$2,688	\$3,168	\$3,648	\$4,128	\$4,608
13x20	13x25	13x30	13x35	13x40
\$2,928	\$3,408	\$3,888	\$4,368	\$4,848
14x20	14x25	14x30	14x35	14x40
\$3,168	\$3,768	\$4,368	\$4,968	\$5,568
15x20	15x25	15x30	15x35	15x40
\$3,408	\$4,008	\$4,608	\$5,208	\$5,808

NOTE: BASE RAIL FRAME LENGTH'S ARE 20',25',30' ETC.

BOXED EAVE HAS 6" ROOF OVERHANG ON FRONT, BACK AND SIDE EAVES.



WXL

Boxed Eave Style

12x20	12x25	12x30	12x35	12x40
\$2,448	\$2,838	\$3,228	\$3,618	\$4,008
13x20	13x25	13x30	13x35	13x40
\$2,688	\$3,078	\$3,468	\$3,858	\$4,248
14x20	14x25	14x30	14x35	14x40
\$2,928	\$3,438	\$3,948	\$4,458	\$4,968
15x20	15x25	15x30	15x35	15x40
\$3,168	\$3,678	\$4,188	\$4,698	\$5,208

NOTE: BASE RAIL FRAME LENGTH'S ARE 20',25',30' ETC.

REGULAR STYLE HAS 6" ROOF OVERHANG ON FRONT AND BACK.



WXL

Regular Style

STANDARD FEATURES:

14 Gauge frame, 6ft Std legs, 29 Gauge roofing, maximum rafter/ column spacing 4' on center or less, 12'w-13'w buildings. Maximum spacing 4' on center on less for 14'-15'w buildings. Braces on all top corner posts. Low side 13'-14' ft max height have double legs and base rail system.



Customer must supply lull lift for buildings 13'-16' tall leg height.

ROOF REFLECTIVE INSULATION ADD ON:

Add 2' to width and multiply by length. EX. 12' wide x 21' long (14x21= 294 sf x rate =\$ 735.00)
R Value 14.7

\$2.50 SF 95% Reflectivity Helps reduce building condensation

REGULAR STYLE LEG HEIGHT CHART

	20'L	25'L	30'L	35'L	40'L
9&12FT	\$475	\$580	\$690	\$794	\$903
10&13FT	\$683	\$953	\$1,218	\$1,388	\$1,552
11&14FT	\$1,038	\$1,143	\$1,393	\$1,572	\$1,730
12&15FT	\$1,193	\$1,385	\$1,568	\$1,755	\$1,928
*13&16FT	\$1,616	\$1,877	\$2,118	\$2,375	\$2,608

*DOUBLE LEG AND BASE RAIL SYSTEM HEIGHTS 13FT-16FT

BOX EAVE / VERTICAL STYLE LEG HEIGHT CHART

	20'L	25'L	30'L	35'L	40'L
9&11FT	\$365	\$470	\$580	\$684	\$793
10&12FT	\$573	\$843	\$1,108	\$1,278	\$1,442
11&13FT	\$928	\$1,033	\$1,283	\$1,462	\$1,620
12&14FT	\$1,083	\$1,275	\$1,458	\$1,645	\$1,818
*13&15FT	\$1,506	\$1,767	\$2,008	\$2,265	\$2,498
*14&16FT	\$1,929	\$2,259	\$2,558	\$2,885	\$3,178

*DOUBLE LEG AND BASE RAIL SYSTEM HEIGHTS 13FT-16FT

CLOSE ONE SIDE CHART

	20'L	25'L	30'L	35'L	40'L
8FT	\$405	\$485	\$570	\$660	\$755
9FT	\$470	\$555	\$645	\$740	\$840
10FT	\$535	\$625	\$720	\$820	\$925
11FT	\$600	\$695	\$795	\$900	\$1,010
12FT	\$665	\$765	\$870	\$980	\$1,095
13FT	\$730	\$835	\$945	\$1,060	\$1,180
14FT	\$795	\$905	\$1,020	\$1,140	\$1,265
15FT	\$860	\$975	\$1,095	\$1,220	\$1,350
16FT	\$925	\$1,045	\$1,170	\$1,300	\$1,435

ADD 60% FOR VERTICAL SIDES

REFLECTIVE INSULATION (BOTH SIDES) ADD ON:

Multiply leg height by length by 2.

EX. 21' long x 6' tall 6x21= 126 sf x 2 =252 sf x 2.50
= \$630.00 both sides

CLOSE ONE END CHART

	12'W	13'W	14'W	15'W
8FT	\$750	\$800	\$850	\$916
9FT	\$850	\$900	\$950	\$1,015
10FT	\$950	\$1,000	\$1,050	\$1,116
11FT	\$1,050	\$1,100	\$1,150	\$1,216
12FT	\$1,150	\$1,200	\$1,250	\$1,316
13FT	\$1,300	\$1,350	\$1,400	\$1,466
14FT	\$1,400	\$1,450	\$1,500	\$1,566

ADD 40% FOR VERTICAL ENDS

REFLECTIVE INSULATION (PER END) ADD ON:

Add 3' to leg height multiply by width

EX. 12' wide x 6' tall 9x12= 108 sf x 2.50
= \$270.00 per end

- Free Installation On Your Level Lot
- Engineer Plans Available Call 877-494-2997
- Financing Available / Rent To Own Available
- Rebar Anchors Included /Concrete Anchors Included

2026 V2

"ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE"

©2026 Copyright All Rights Reserved Tri State Carports, Inc

FREE STANDING LEAN 12'-15'WIDE OPTIONS

12 GAUGE FRAME UPGRADE				
	12'W	13'W	14'W	15'W
20'L	\$550	\$590	\$630	\$670
25'L	\$650	\$700	\$750	\$800
30'L	\$750	\$810	\$870	\$930
35'L	\$850	\$920	\$990	\$1,060
40'L	\$950	\$1,030	\$1,110	\$1,190

	20'L	25'L	30'L	35'L	40'L
3FT BRACES	\$72	\$86	\$101	\$115	\$130
MOBILE HOME ANCHORS	\$120	\$120	\$180	\$180	\$240
Labor Fees	20'L	25'L	30'L	35'L	40'L
Build over fee	\$150	\$175	\$200	\$250	\$300
Cut leg fee	\$175	\$200	\$250	\$300	\$350

3' brace upgrade recommended for buildings 8' and higher. Extra support recommended for buildings 10'-12' Tall Legs to prevent swaying.

***30 Day Workmanship warranty** on all Buildings, effective day of Installation.

***20 Year limited warranty** on 12 Gauge framing materials assuming regular care and maintenance given to building.

We strongly recommend you to purchase vertical roofs on buildings 31ft or longer to prevent leaks.

Add \$250.00 Trip Fee on any purchase less than \$500.00

Connection fees valid only if you are purchasing 2 buildings at the same time (not on existing buildings)

Connecting end to end. \$100.00
Connecting side to side. \$150.00

CONCRETE DIMENSIONS

In reference to frame size

Ex. 12'Wx20'L building frame size. Make pad 12'8"Wx20'8"L.

Make the extra 4" all around slope away from the building edge to run off water.

EXTRA FRAME BOW	WELDED TRUSSES	EXTRA BRACES	GARAGE DOORS	*GABLE END
12'-15' WIDE \$252 EA.	4'LONG \$32.00 EA.	2' LONG \$14.00 EA.	6'WX6'H \$753.00 EA.	12'-15' WIDE \$288.00 EA.
ADD \$10.00 FOR EACH ADDITIONAL HEIGHT.	5' LONG \$50.00 EA.	3' LONG \$22.00 EA.	8'WX7'H \$907.00 EA.	*CARPORT PEAK ENCLOSED
	8' LONG \$94.00 EA.		9'WX7'H \$984.00 EA.	
MOBILE HOME ANCHORS	ASPHALT ANCHORS	WINDOWS white with grids	10'WX8'H \$1,061.00 EA.	**EXTENDED GABLE
3/4"X30" \$30.00 EA.	3/4"X30" \$30.00 EA.	24"X36" \$190.00 EA.	10'WX10'H \$1,138.00 EA.	12'-15' WIDE \$504.00 EA.
WALK IN DOOR left outswing	EXTRA PANELS 36" wide		12'WX12'H \$2,465.00 EA.	**GABLE PLUS 3' PANEL
36"X80" \$515.00 EA.	21' LONG \$130.00 EA.	*36' LONG \$216.00 EA.	ADD \$100.00 SIDE DOOR FEE (PER EACH DOOR) <u>BUILDING MUST BE 1' TALLER TO INSTALL DOOR ON SIDE.</u>	
ADD \$50.00 SIDE FEE (IF FRAME HEADER BAR IS NEEDED ADD \$100)	26' LONG \$158.00 EA.	*41' LONG \$259.00 EA.		
<u>BUILDING MUST BE A MIN OF 7FT TALL TO INSTALL DOOR ON SIDE.</u>	31' LONG \$187.00 EA.	*NOT A CONTINUOUS PANEL.	ELECTRIC DOOR OPENER \$950.00 EACH	
EXTRA L TRIM	EXTRA J TRIM	45° TRIM KIT	RECOMMENDED 10-12' TALL ON CONCRETE OR GROUND.	EXTRA SUPPORTS
\$1.25 (PER FT)	\$1.12 (PER FT)	\$99.00 EA. MUST CLOSE END OR SIDE FIRST.		\$100.00 EACH


FRAME OUTS




GABLE END



EXTENDED GABLE END



GARAGE DOORS



FRAME OUTS	WINDOW \$80.00 EACH	WALK DOOR \$90.00 EACH	DOOR FRAME OUTS	6'W-12'W ON END <u>\$150.00 EACH</u> 13'W-16'W ON END <u>\$300.00 EACH</u> 16FT WIDE MAX ON END AND SIDE DOOR OPENINGS	6'W-12'W ON SIDE <u>\$200.00 EACH</u> 13'W-16'W ON SIDE <u>\$400.00 EACH</u>	ON ENDS: MUST CLOSE FIRST FOR FRAME OUTS, IF NO PANELS WANTED ON END (FRAME END ONLY) <u>DISCOUNT 20% FROM CLOSED END PRICE.</u>
------------	---------------------	------------------------	-----------------	---	---	--



Extra Support
2' Under Ground

